



# IR TELESCOPES 10 MM

**Infrared Telescope** 



# IR TELESCOPES 10 MM

## **ED Glass Lens**

- · Razor-sharp images
- · Optimized for high-resolution imaging
- · Decreased chromatic aberration

# Incorporates design elements for IR imaging (e.g. lens coating)

 $\cdot$  Supports imaging functionality for IR imaging

## **Wide Field of View**

· Good overview during procedures: 20% wider field of view than conventional HD telescopes\*

## **Autoclavable**

· Reduced costs compared with other sterilization methods

Ordering Information					
Order Number	Outer Diameter	<b>Direction of View</b>	Field of View	Working Length	Max. Insertion Portion Width
WAIR100A	10 mm	0°	88°	316.4 mm	10.2 mm
WAIR130A	10 mm	30°	88°	318.6 mm	10.2 mm

Specifications					
Operating Conditions	Ambient temperature	10 to 35°C (50 to 95°F)			
	Relative humidity	30 to 85%			
	Atmospheric pressure	700 to 1060 hPa			
Storage Conditions	Temperature	10 to 40°C (50 to 104°F)			
	Relative humidity	30 to 85%			
Transport Conditions	Temperature	-40 to 70°C (-40 to 158°F)			
	Relative humidity	10 to 95%			

<sup>\*</sup>Compared to 10 mm endoscope with 75° field of view

