

Legend


Important notes

The authors and Erbe Elektromedizin GmbH have taken the greatest possible care while compiling the catalogue with electrosurgical accessories. Nevertheless, it is impossible to exclude the possibility that errors may be contained herein.

The information and recommendations given here may not be construed as constituting any basis for any claims against Erbe Elektromedizin GmbH. Should legal regulations stipulate liability, such liability shall be limited to intentional misconduct or gross negligence.

The data on the use of instruments is based on clinical experience. Medical science is subject to a process of permanent change based on research and clinical experience. Therefore the products are subject to alterations in design and technique. Because of production tolerances dimensions in the catalogue may marginally differ.

Further product information



Please read carefully the corresponding notes on use before using any instrument.

Electrosurgery

Bipolar Instruments

- 03 LAP forceps
- 05 LAP BiSect and bipolar LAP scissors
- 07 Cables and accessories

LAP forceps

Bipolar LAP forceps, Maryland, deep ribbed, shaft \varnothing 5 mm, length 340 mm

consisting of: 20195-140, 20195-141, 20195-143



No. 20195-132



0.25 kVp

max 95 °C



30195-119

max 138 °C

Bipolar LAP forceps, fenestrated, deep ribbed, shaft \varnothing 5 mm, length 340 mm

consisting of: 20195-140, 20195-141, 20195-144



No. 20195-133



0.25 kVp

max 95 °C



30195-119

max 138 °C

Bipolar E LAP forceps, fenestrated, deep ribbed, shaft \varnothing 5 mm, length 340 mm

consisting of: 20195-245, 20195-241, 20195-144



No. 20195-224



0.25 kVp

max 95 °C



30195-119

max 138 °C

Bipolar instruments

LAP forceps

Bipolar E LAP forceps, Maryland, deep ribbed, shaft \varnothing 5 mm, length 340 mm

consisting of: 20195-245, 20195-241, 20195-143



No. 20195-225

= 1

0.25 kVp

max 95 °C

30195-119

max 138 °C

Single components

Insert for LAP forceps, Maryland and E LAP forceps, Maryland, deep-ribbed, \varnothing 5 mm, length 340 mm (for 20195-132 and 20195-225)



Piece

1

No.

20195-143

Insert for LAP forceps, fenestrated and E LAP forceps, fenestrated deep-ribbed, \varnothing 5 mm, length 340 mm (for 20195-133 and 20195-224)



1

20195-144

Shaft tube for bipolar LAP forceps and BiClamp LAP forceps, \varnothing 5 mm, length 340 mm



1

20195-141

Shaft tube for bipolar E LAP forceps and BiClamp E LAP forceps, \varnothing 5 mm, length 340 mm



1

20195-241

Handle for LAP forceps, without connecting cable



1

20195-140

Handle for E LAP forceps, without connecting cable



1

20195-245

Bipolar instruments

LAP BiSect and bipolar LAP scissors

LAP BiSect Micro, shaft \varnothing 5 mm, length 350 mm

consisting of: 20195-206, 20195-208, 20195-209, 20195-210



No. 20195-204

= 1

0.475 kVp

max 95 °C

30195-114

max 138 °C

LAP BiSect Macro, shaft \varnothing 5 mm, length 350 mm

consisting of: 20195-207, 20195-208, 20195-209, 20195-210



No. 20195-205

= 1

0.475 kVp

max 95 °C

30195-114

max 138 °C

Single components

Insert for LAP BiSect Micro (20195-204), \varnothing 5 mm, length 350 mm



Piece

1

No.

20195-206

Insert for LAP BiSect Macro (20195-205), \varnothing 5 mm, length 350 mm



1

20195-207

Shaft tube for LAP BiSect Micro and Macro, \varnothing 5 mm, length 350 mm



1

20195-208

Insulated tube for LAP BiSect Micro and Macro, \varnothing 5 mm, length 350 mm



1

20195-209

Handle for LAP BiSect Micro and Macro



1

20195-210

Bipolar instruments

LAP BiSect and bipolar LAP scissors

Bipolar LAP scissors, Metzenbaum, shaft \varnothing 5 mm, length 340 mm

consisting of: 20195-140, 20195-141, 20195-242



No. 20195-226

0.25 kVp

max 95 °C

30195-119 max 138 °C

Bipolar E LAP scissors, Metzenbaum, shaft \varnothing 5 mm, length 340 mm

consisting of: 20195-245, 20195-241, 20195-242



No. 20195-227

0.25 kVp


max 95 °C



30195-119 max 138 °C

Single components		Piece	No.
Insert for bipolar LAP scissors Metzenbaum and bipolar E LAP scissors Metzenbaum, shaft \varnothing 5 mm, length 340 mm (for 20195-226 and 20195-227)		1	20195-242
Shaft tube for bipolar LAP scissors, \varnothing 5 mm, length 340 mm		1	20195-141
Shaft tube for bipolar E LAP scissors, \varnothing 5 mm, length 340 mm		1	20195-241
Handle for LAP scissors, without connecting cable		1	20195-140
Handle for E LAP scissors, without connecting cable		1	20195-245

Bipolar instruments

Cables and accessories

Bipolar connecting cables	Connection	Length	Piece	No.
Bipolar connecting cable, VIO, ICC, ACC, T-Series, Standard 	Standard	4 m	1	20196-045
	Standard	5 m	1	
Bipolar connecting cable, VIO, ICC, ACC, International (2-Pin 22 mm) 	International	4 m	1	20196-053
	International	5 m	1	
Bipolar connecting cable, Martin Standard 	Martin Standard	4 m	1	20196-047
	Martin Standard	5 m	1	
Bipolar connecting cable, Vallylab and non-Erbe units (2-Pin 28 mm) 	Vallylab (2-Pin 28 mm)	4 m	1	20196-055

Accessories for treatment		Piece	No.
Cleaning brush, length 650 mm, for manual cleaning and disinfection		1	20191-279
Rinsing tube with Luer Lock connector, length 500 mm, for cleaning and disinfection by machine		1	20195-201

Important information

The information, recommendations and other details contained in this medium ("information") reflect our state of knowledge and the state of the art in science and technology at the time the medium was created. The information is of a general nature, non-binding and intended solely for general information purposes; it does not constitute instructions for use.

The information and recommendations contained in this medium do not create any legal obligations on the part of Erbe Elektromedizin GmbH and its affiliated companies ("Erbe") or any other claims against Erbe. The information does not constitute any guarantees or other information on the nature of the product; such information requires an express contractual agreement with Erbe in each individual case.

Erbe is not liable for any kind of damage resulting from following the information on this medium, regardless of any legal grounds for liability.

Every user of an Erbe product is responsible for testing the respective Erbe product in advance with regard to its properties and its suitability for the intended type of use or purpose. Suitable type of use of the respective Erbe product can be found in the instructions for use for the respective Erbe product. The user is obliged to ascertain whether the instructions for use available to him/her correspond to the current status of the specific Erbe product. Devices may only be used in accordance with the instructions for use.

Information on settings, application sites, application duration and use of the respective Erbe product is based on the clinical experience of individual centers, physicians and clinical literature independent of Erbe as well as post market surveillance and empirical evidence. They constitute reference values, or Experienced Starting Settings, which must be checked by the user to ensure that they are suitable for the specifically planned application. Depending on the circumstances of a specific application, it may be necessary to deviate from the information provided. The user is responsible for checking this when using Erbe products. We wish to note that science and technology are subject to constant development as a result of research and clinical experience. Similarly, medicine and clinical application are constantly evolving as a result of research and technological development. This may also make it necessary for the user to deviate from the information provided on this medium.

This medium contains information about Erbe products that may not be approved/cleared in certain countries. The user of the respective Erbe product is obliged to inform himself/herself as to whether the Erbe product he/she is using is legally approved/cleared in his/her country and/or to what extent, if any, there are legal requirements for or restrictions on its use.

This medium is not intended for use in the USA.

Erbe Elektromedizin GmbH
Waldhoernlestrasse 17
72072 Tuebingen
Germany

Phone +49 7071 755-0
info@erbe-med.com
erbe-med.com
medical-videos.com